


CONNECTOR 6


CONNECTOR 5



B068-7097-11

**BAT '+'**

**BAT '+'**



**BLANK**

**BLANK**

**BLANK**

**BLANK**

B068-7100


B068-7100

**BLACK**


**GREY**

B068-7099-A2

B068-7099-B2



SEALED TANGLESS- 32006-A12  
SEALED TANGED- 32006-A22  
CONNECTOR 1 (BLACK)



SEALED TANGLESS- 32006-B12  
SEALED TANGED- 32006-B22  
CONNECTOR 2 (GREY)

PART # 31M-300-0


SHEET 8 OF 9

CUST STANDARD / REFERENCE

TITLE COMPONENT ORIENTATION / LABEL PC N

REV REVISIONS DATE APPR

0 REFER TO SHEET 1 04-25-11



NOTES:


1. CONSULT THE FACTORY FOR PART NUMBERS FOR TPA'S (TERMINAL POSITIVE ASSURANCE), CPA'S (CONNECTOR POSITIVE ASSURANCE), RECOMMENDED TERMINALS ETC.

DEVICE PLACEMENT

POSITION	REFERENCE	DEVICE	PART #
D1	F1	MINI FUSE	ATM-10UNP-N
D2	F2	MINI FUSE	ATM-10UNP-N
D3	F3	MINI FUSE	ATM-10UNP-N
D4	F4	MINI FUSE	ATM-10UNP-N
D5	F5	MINI FUSE	ATM-10UNP-N
D6	F6	MINI FUSE	ATM-10UNP-N
D7	F7	MINI FUSE	ATM-10UNP-N
D8	F8	MINI FUSE	ATM-10UNP-N
D9	R1	12V,20A 4-PIN MICRO	B120-7022
D10	R2	12V,20A 4-PIN MICRO	B120-7022
D11	R3	12V,20A 4-PIN MICRO	B120-7022
D12	R9	12V,20A 4-PIN MICRO	B120-7022
D13	R4	12V,20A 4-PIN MICRO	B120-7022
D14	R5	12V,20A 4-PIN MICRO	B120-7022
D15	R6	12V,20A 4-PIN MICRO	B120-7022
D16	R10	12V,20A 4-PIN MICRO	B120-7022
D17	R7	12V,20A 4-PIN MICRO	B120-7022
D18	R8	12V,20A 4-PIN MICRO	B120-7022
D19	R11	12V,20A 4-PIN MICRO	B120-7022
D20	R12	12V,20A 4-PIN MICRO	B120-7022


DEVICE TOTALS

DEVICE	PART #	AMOUNT
MINI FUSE	ATM-10UNP-N	8
12V,20A 4-PIN MICRO	B120-7022	12



B170-1M300-0-RX  
 X-PRINT REVISION LEVEL

PART # B170-1M300-0-RX		SCALE 1 : 1	
CUST STANDARD / REFERENCE			
TITLE VEC LEXAN LABEL			PC N
REV	REVISIONS	DATE	APPR
0	RELEASE TO PROD. ECN-BU-U11180 A.L	04-25-11	



NOTES:

1. THIS DRAWING SPECIFIES COMPONENT PLACEMENT AND GRAPHICS. REFER TO B170-1XXX-XXR FOR MATERIAL SPECIFICATIONS AND DIMENSIONING.
2. CROSSHATCHING REPRESENTS COMPONENT CUTOUTS. REFER TO B170-1XXXX-XXR FOR COMPONENT DIMENSIONING.
3. LABEL TO HAVE A BLACK BACKGROUND WITH WHITE LETTERING.