

CW INDUSTRIES

130 James Way

Southampton, PA 18966

Phone: 215-355-7080 • Fax: 215-355-1088

Email: info@cwind.com • Website: <http://www.cwind.com>**2000 Series Double-Pole Full Size Rocker Switches**

CW's 2000 Series Double-Pole Full Size Rocker Switches offer maintained, momentary and center-off switching options for high Amp applications in double-pole construction. Available in ratings of 8, 13 and 16 amps, CW 2000 Series Switches feature self cleaning contacts and are RoHS compliant.

Specify GRS-Series for continuous use temperature rating of +65° C.

Results 1 - 22 of 22

<u>Item #</u>	<u>Circuitry</u>	<u>Switch Function</u>	<u>Electrical Ratings</u>	<u>Actuator Color</u>	<u>Housing Color</u>	<u>Actuator Legend</u>
GR-2021-0000	DPST	ON-OFF	10 A @ 14 V (T) 12 A @ 250 VAC 16 A @ 125 VAC 3/4 HP @ 125-250 VAC	Black	Black	None
GR-2021-0004	DPST	ON-OFF	10 A @ 14 V (T) 12 A @ 250 VAC 16 A @ 125 VAC 3/4 HP @ 125-250 VAC	Red	Black	I/O - Vertical
GR-2021-0007	DPST	ON-OFF	10 A @ 14 V (T) 12 A @ 250 VAC 16 A @ 125 VAC 3/4 HP @ 125-250 VAC	Black	Black	I/O - Vertical
GR-2021-0008	DPST	ON-OFF	10 A @ 14 V (T) 12 (6) A @ 250~ (VDE) 12 A @ 250 VAC 16 A @ 125 VAC 3/4 HP @ 125-250 VAC	Black	Black	I/O - Vertical
GR-2021-0010	DPST	ON-OFF	10 A @ 14 V (T) 12 A @ 250 VAC 16 A @ 125 VAC 3/4 HP @ 125-250 VAC	Black	Black	I/O - Horizontal
GR-2021-0013	DPST	ON-OFF	4 A @ 250 VAC 8 A @ 125 VAC	White	Black	None

GR-2021B-0000	SPST Momentary Normally Open	OFF-(ON)	10 A @ 250 VAC 13 A @ 125 VAC	Black	Black	None
GR-2021C-0000	SPST Momentary Normally Closed	ON-(OFF)	10 A @ 250 VAC 13 A @ 125 VAC	Black	Black	None
GR-2022-0000	DPDT	ON-ON	10 A @ 14 V (T) 12 A @ 250 VAC 16 A @ 125 VAC 3/4 HP @ 125-250 VAC	Black	Black	None
GR-2022-0005	DPDT	ON-ON	10 A @ 14 V (T) 12 (6) A @ 250~ (VDE) 12 A @ 250 VAC 16 A @ 125 VAC 3/4 HP @ 125-250 VAC	Red	Black	None
GR-2022-0006	DPDT	ON-ON	10 A @ 14 V (T) 12 (6) A @ 250~ (VDE) 12 A @ 250 VAC 16 A @ 125 VAC 3/4 HP @ 125-250 VAC	Black	Black	None
GR-2022-0007	DPDT	ON-ON	10 A @ 14 V (T) 12 (6) A @ 250~ (VDE) 12 A @ 250 VAC 16 A @ 125 VAC 3/4 HP @ 125-250 VAC	Black	Black	I/O - Vertical
GR-2022-0010	DPDT	ON-ON	10 A @ 14 V (T) 12 (6) A @ 250~ (VDE) 12 A @ 250 VAC 16 A @ 125 VAC 3/4 HP @ 125-250 VAC	Black	Black	None
GR-2022-1600	DPDT	ON-ON	10 A @ 14 V (T) 12 (6) A @ 250~ (VDE) 12 A @ 250 VAC 16 A @ 125 VAC 3/4 HP @ 125-250 VAC	Black	Black	None
GR-2022A-0000	DPDT Momentary	ON-(ON)	10 A @ 250 VAC 13 A @ 125 VAC	Black	Black	None
GR-2023A-0000	DPDT-CO	ON-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T) 6 A @ 125 V (L)	Black	Black	None
GR-2023A-0002	DPDT-CO	ON-OFF-ON	10 A @ 14 V (T) 12 (6) A @ 250~ (VDE) 12 A @ 250 VAC 16 A @ 125 VAC	Black	Black	None

			3/4 HP @ 125-250 VAC			
GR-2023A-0003	DPDT-CO	ON-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T) 6 A @ 125 V (L)	Grey	Grey	None
GR-2023B-0000	DPDT-CO	ON-OFF-(ON)	10 A @ 250 VAC 13 A @ 125 VAC	Black	Black	None
GR-2023B-0003	DPDT-CO	ON-OFF-(ON)	4 A @ 250 VAC 8 A @ 125 VAC	White	White	None
GR-2023C-0000	DPDT-CO	(ON)-OFF-(ON)	10 A @ 250 VAC 13 A @ 125 VAC	Black	Black	None
GR-2021-0014	DPST	ON-OFF	10 A @ 14 V (T) 12 A @ 250 VAC 16 A @ 125 VAC 3/4 HP @ 125-250 VAC	White	Black	None

Results 1 - 22 of 22