

CW INDUSTRIES

130 James Way

Southampton, PA 18966

Phone: 215-355-7080 • Fax: 215-355-1088

Email: info@cwind.com • Website: <http://www.cwind.com>**4000 Series Center-Off Miniature Rocker Switches**

CW's Center-Off 4000 Series Mini-Rocker Switches are available in SPDT or DPDT construction... all in the same small package. Further, you may choose from a crisp detent action from both ends to center, momentary one end to center, or momentary both ends to center. Available in ratings of 8 & 13 amps.

Circuitry:

Specify GRS-4013A / 4023A for detent both ends to center. ON-OFF-ON

Specify GRS-4013B / 4023B for momentary one end to center. (ON)-OFF-ON

Specify GRS-4013C / 4023C for momentary both ends to center. (ON)-OFF-(ON)

Panel Opning - 0.508" X 0.756" (12.90mm X 19.20mm).

Specify GRS-Series for continuous use temperature rating of +65° C.

Specify GRSV-Series for continuous use temperature rating of +105° C.

Results 1 - 38 of 38

<u>Item #</u>	<u>Circuitry</u>	<u>Switch Function</u>	<u>Electrical Ratings</u>	<u>Actuator Color</u>	<u>Actuator Legend</u>	<u>Housing Color</u>
GRS-4013A-0000	SPDT	ON-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4013A-0001	SPDT	ON-OFF-ON	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
GRS-4013A-0003	SPDT	ON-OFF-ON	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
GRS-4013A-0008	SPDT	ON-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Red	None	Black
GRS-4013A-0014	SPDT	ON-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4013A-0021	SPDT	ON-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4013A-0023	SPDT	ON-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
			1/2 HP @ 125-250 VAC			

GRS-4013A-1300	SPDT	ON-OFF-ON	10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4013B-0000	SPDT	(ON)-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4013B-0001	SPDT	(ON)-OFF-ON	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
GRS-4013C-0000	SPDT	(ON)-OFF-(ON)	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4013C-0001	SPDT	(ON)-OFF-(ON)	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
GRS-4013C-0004	SPDT	(ON)-OFF-(ON)	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4013C-0007	SPDT	(ON)-OFF-(ON)	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
GRS-4013C-0011	SPDT	(ON)-OFF-(ON)	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4013C-1300	SPDT	(ON)-OFF-(ON)	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4023A-0000	DPDT-CO	ON-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4023A-0001	DPDT-CO	ON-OFF-ON	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
GRS-4023A-0005	DPDT-CO	ON-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4023A-0009	DPDT-CO	ON-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Red	None	Black
GRS-4023A-0012	DPDT-CO	ON-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4023A-0014	DPDT-CO	ON-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	I/O/II - Vertical	Black
GRS-4023A-0016	DPDT-CO	ON-OFF-ON	3 A @ 277 VAC 4 A @ 250 VAC	Grey	None	Grey

			8 A @ 125 VAC			
GRS-4023A-0019	DPDT-CO	ON-OFF-ON	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Grey	None	Grey
GRS-4023A-0020	DPDT-CO	ON-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	I/O/II - Vertical	Black
GRS-4023A-1300	DPDT-CO	ON-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4023B-0000	DPDT-CO	(ON)-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4023B-0001	DPDT-CO	(ON)-OFF-ON	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
GRS-4023B-0003	DPDT-CO	(ON)-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	I/O/II - Vertical	Black
GRS-4023B-0005	DPDT-CO	(ON)-OFF-ON	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Red	None	Black
GRS-4023C-0000	DPDT-CO	(ON)-OFF-(ON)	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4023C-0001	DPDT-CO	(ON)-OFF-(ON)	3 A @ 277 VAC 4 A @ 250 VAC 8 A @ 125 VAC	Black	None	Black
GRS-4023C-0005	DPDT-CO	(ON)-OFF-(ON)	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Red	None	Black
GRS-4023C-0007	DPDT-CO	(ON)-OFF-(ON)	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	I/O - Horizontal	Black
GRS-4023C-0009	DPDT-CO	(ON)-OFF-(ON)	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4023C-0017	DPDT-CO	(ON)-OFF-(ON)	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	None	Black
GRS-4023C-0018	DPDT-CO	(ON)-OFF-(ON)	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC 5 A @ 14 V (T)	Black	Bump	Black
GRS-4023C-1300	DPDT-CO	(ON)-OFF-(ON)	1/2 HP @ 125-250 VAC 10 A @ 250 VAC 13 A @ 125 VAC	Black	None	Black

5 A @ 14 V (T)

Results 1 - 38 of 38
