DBL250



TE Connectivity has acquired the DIN Rail Terminal Block product range from ABB

Products + Low Voltage Products and Systems + Connection Devices + Terminal Blocks + SNK Series

General Information

Extended Product Type: DBL250

Product ID: 1SNL325010R0000 **EAN**: 3472599856554

Catalog Description: DBL250 Distribution Terminal Blocks

Long Description: — Save installation time with our modular solutions — Ease the installatio

n with plate or rail mounting options on our modular blocks — Delivered wi

th 7 white pre-printed markers L1, L2, L3, N, PE, +, -.

Ordering

Color:	Grey
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85369010

Popular Downloads

Data Sheet, Technical Information: 1SNC166016D0201

Instructions and Manuals: 1SNC166001B0201

Dimensions

Product Net Width:	46 mm
Product Net Height:	96 mm
Product Net Depth / Length:	60 mm
Product Net Weight:	425 g

Technical

Rated Cross-Section:	95 mm²
Spacing:	46 mm
Connection Type:	Screw clamp
Function:	Feed-through
Number of Levels:	1
Connecting Capacity Main Circuit:	Screw Clamp / Rigid 1x 35 120 mm²
Rated Current (I _n):	Main Circuit 250 A
Rated Short-time Withstand Current (I _{cw}):	for 1 s 11400 A
Rated Impulse Withstand Voltage (U _{imp}):	8000 V
Dielectric Test Voltage:	2200 V

Pollution Degree:	3	
Power Loss:	8 W	
Degree of Protection:	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP10	
Insulation Material:	Polyamide	
Mounting on DIN Rail:	TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715	
Tightening Torque:	Main Circuit 19 21 N·m	

Technical UL/CSA

Maximum Operating Voltage UL/CSA:	Main Circuit 1000 V	
Connecting Capacity UL/CSA:	Stranded 250 AWG	

Flammability According to UL94: V0

Short-Circuit Current Rating 100 kA

(SCCR):

Environmental

Ambient Air Temperature:	Operation -55 +110 °C	
	Storage -55 +110 °C	

RoHS Status: Following EU Directive 2002/95/EC August 18, 2005 and amendment

Certificates and Declarations (Document Number)

BV Certificate:	1SND166008A0200
CB Certificate:	1SND166005A0201
CSA Certificate:	1SND166007A0201
cUL Certificate:	1SND166006A0201
Declaration of Conformity - CE:	1SND225005U1000
EAC Certificate:	1SND161011A1100
Environmental Information:	1SND220095E1000
Instructions and Manuals:	1SNC166001B0201
RoHS Information:	1SND230557F0201

Classifications

Object Classification Code:	X
ETIM 4:	EC000276 - Distribution terminal block
ETIM 5:	EC000276 - Distribution terminal block
ETIM 6:	EC000276 - Distribution terminal block

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	68 mm

Package Level 1 Depth / Length:	115 mm
Package Level 1 Height:	57 mm
Package Level 1 Gross Weight:	0.46 kg
Package Level 1 EAN:	3472599856554
Package Level 2 Units:	20 piece
Package Level 2 Width:	230 mm
Package Level 2 Depth / Length:	380 mm
Package Level 2 Height:	310 mm
Package Level 2 Gross Weight:	9.2 kg
Product Packing Type:	Box

